

# **Bin lifts**

Wheelie bin lifts with lifting capacities up to 450kg









# Why a DEL tail lift?



#### Made to order

From our 64,000ft factory in Witney, we have the expertise and experience to manufacture a wide range of tail lifts. Every tail lift we produce is tailor made to meet your exact requirements.

## Quality assured

As a ISO 9001:2008 certified organisation, we continuously measure our performance and constantly work to improve upon it. We are committed to supply high quality products and services.

### Durability

With DEL products, not only will you get a great product to suit your requirements but also one that will last. Each lift has been thoroughly tested to ensure you have many years of trouble free operation.

### Top finish

Steel components are plated or galvanised to offer maximum protection against corrosion. This will help enhance your company's image plus increasing the vehicle residual value.

## Comprehensive warranty

Each product comes with a comprehensive 12 months parts and labour warranty package as standard. This provides you with 24 hours a day, 365 days a year breakdown cover to ensure that you will never be left stranded. Extended warranty packages are available if required.

#### After care

We expect that you will have many years of trouble free use from our products. It is comforting to know however that in the rare event of a problem occurring during operation that our friendly, helpful and experienced staff are only a phone call away.


## **WB150 Series**



#### **Features**

- 150kg lifting capacity
- To operate with standard 120 360 Litre wheeled containers (To BSEN 840).
- Wear pads installed to maximise product life and minimise maintenance.
- Electro-hydraulic power pack operation via vehicle battery.
- Intergral hydraulic hoses included.
- Low maintenance pivot bushes.
- Fully galvanised finish to prevent corrsion.
- Push button control station to operate lift included.

Model	Lifting capacity	Distance from ground to tip height	Installed weight
WB150-550	150kg	1.7 metres	135kg
WB150-700	150kg	2.0 metres	145kg
WB150-850	150kg	2.3 metres	155kg
WB150-914	150kg	2.4 metres	160kg




## **SW150 Series**



#### **Features**

- 150kg lifting capacity
- Fully automatic roof opening compartment included.
- To operate with standard 120 360 Litre wheeled containers (To BSEN 840).
- Wear pads installed to maximise product life and minimise maintenance.
- Lift to be opprated via PTO system. Hydraulic valve box to include tipper diverter valve included.
- Low maintenance pivot bushes.
- Fully galvanised finish to prevent corrsion.
- Push button control station supplied with emergency stop switch.

Model	Lifting capacity	Distance from ground to tip height	Installed weight
SW150-2	150kg	2.6 metres	245kg
SW150-3	150kg	3.1 metres	255kg




# **SW450 Series**



#### **Features**

- 450kg lifting capacity
- Fully automatic roof opening compartment included.
- To operate with standard 120 1100 Litre wheeled containers (To BSEN 840).
- Wear pads installed to maximise product life and minimise maintenance.
- Lift to be opprated via PTO system. Hydraulic valve box to include tipper diverter valve included.
- Low maintenance pivot bushes.
- Fully galvanised finish to prevent corrsion.
- Push button control station supplied with emergency stop switch.

Model	Lifting capacity	Distance from ground to tip height	Installed weight
SW450-2	450kg	2.6 metres	580kg
SW450-3	450kg	3.1 metres	600kg







Building 1 Windrush Industrial Park, Witney, Oxon, OX29 7HA Tel: +44 (0) 1993 708811 Fax: +44 (0) 1993 708787 Email: sales@del-uk.com www.del-uk.com

